


LAN NOTES:

- INSTALL NEW LIFT PUMP BASIN (LIBERTY PUMPS 700 SERIES 24" X 36" DEEP) AND LIFT PUMP RETAINED FROM DEMOLITION AT EXISTING LOCATION. RECONNECT TO EXISTING FORCED MAIN AND VENT ABOVE CEILING. P.C. SHALL VERIFY EXISTING LIFT PUMP AND ASSOCIATED EQUIPMENT ARE IN GOOD WORKING ORDER.
- 2 EXISTING TOILET IN EXISTING LOCATION. ADJUST EXISTING TOILET LOCATION TO ENSURE ADA CLEARANCE REQUIREMENTS ARE MET. P.C. SHALL PROVIDE FITTINGS, PIPING, OFFSETS AND EXTENSIONS REQUIRED FOR AN ADA COMPLIANT INSTALLATION

INTERCEPT AND INSTALL RPZ TYPE BACKFLOW PREVENTER BETWEEN EXISTING WATER METER AND STRUCTURE PER DETAIL IN EXISTING 3/4" SERVICE LINE. COORDINATE WITH EXISTING SITE CONDITIONS.




DEMOLITION NOTES:

DI) EXCAVATE AND REMOVE EXISTING LIFT PUMP BASIN AT


D1 EXCAVATE AND REMOVE EXISTING LIFT PUMP BASIN AT THIS LOCATION. REMOVE EXISTING SANITARY LIFT PUMP. PROVIDE PROTECTION FOR EXISTING, W, V, PUMP, FLOAT SWITCHES AND CONTROLS AND RETAIN FOR REUSE. SECURE EXCAVATION AND PREPARE TO INSTALL NEW BASIN.

D2 REMOVE EXISTING TOILET. DEMO WASTE & CW BACK TO ACTIVE BRANCH AND CAP.

1 BASEMENT FLOOR PLAN - PLUMBING DEMOLITION SCALE: 1/8" = 1' - 0"



3 FIRST FLOOR PLAN - WASTE AND VENT SCALE: 1/8" = 1' - 0"



SEAL 033773

OG INE STATE THIS DOCUMENT WAS

DIGITALLY CERTIFIED DOCUMENT: THIS DOCUMENT WAS ORIGINALLY CERTIFIED DIGITALLY AND LOCKED TO PREVENT ALTERATION. ALL PRINTED COPIES OF THIS DOCUMENT, ALONG WITH ANY DIGITAL DOCUMENT NOT BEARING THE DIGITAL CERTIFICATION SIGNATURE ARE UNCERTIFIED COPIES OF THE ORIGINAL CERTIFIED DOCUMENT.

AN CHURCH ADDITION

CHRISTUS VICTOR LU11615 NC-54

DURHAM, NC 27713

Description Date
REV01-CODE COMMENTS 08.09.2023

PROJECT #: 210029

DATE: 03-09-2023

FLOOR PLANS -PLUMBING

DIGITAL PRINT DATE:

P1.1

TIHESE DRAWJINGS WJILL BE AT THE SCALE INDICATED WHEN PLOTTED AT 30" X 426"

2" FM TO DAYLIGHT

FM

2" SP-1

SP-1

A

RISER - ELEVATOR SUMP

SCALE: NTS